

## SAFETY DATA SHEET

<b>SECTION 1</b>	PRODUCT AND COMPANY IDENTIFICATION		
Trade Name:	MicroEssentials <sup>®</sup> S10 <sup>®</sup> / MES10 <sup>®</sup>		
Chemical Name:	Monoammonium Phosphate with Ammo	onium Sulfate and Sulfur	
CAS Number:	7722-76-1		
Chemical Family:	Ammonium Phosphates—Inorganic Sa	lts	
Synonyms:	Monoammonium Phosphate + Sulfur Monobasic Ammonium Phosphate + Sulfur Ammonium Dihydrogen Phosphate + Sulfu MAP + S Ammonium Dihydrogen Orthophosphate MES10® MES®	r	
Primary Use:	Crop nutrient		
Company Information:	Corporate Headquarters	The Mosaic Company 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602	
	US Guarantor	Mosaic Global Sales, LLC 13830 Circa Crossing Drive Lithia, FL 33547	
	Canada Guarantor	Mosaic Canada Crop Nutrition, LP 1700 – 2010 12th Ave. Regina, SK Canada S4P 0M3	
	Contact Info	www.mosaicco.com (800) 918-8270 or (813) 775-4200	
Emergency Telephone:	EMERGENCY OVERVIEW 24 Hour Emergency Telephone Number: <u>For Chemical Emergencies</u> : Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 (reference CCN201871) Others: (703) 527-3887 (collect)		
SECTION 2	HAZARD IDENTIFICATION		
OSHA/HCS Status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29		

OSHA/HCS Status:	CFR 1910.1200). See appropriate classifications below.		
GHS Classification:	Acute Toxicity Oral Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE Category 3	Hazard Statement H303 Hazard Statement H315 Hazard Statement H320 Hazard Statement H335	
	Signal Word: WARNING Hazard Statement(s) H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: May cause respiratory irritation		



Label Elements	s:	
Prevention:	P280: Wea P261: Avo	sh hands thoroughly after handling. ar protective gloves id breathing dust e only outdoors or in a well-ventilated area.
	P302+ P352 P321	IF ON SKIN: Wash with plenty of water. Specific Treatment, see supplemental first aid information.
	P332+ P313	If skin irritation occurs: Get medical advice/attention.
	P362+ P364	Take off contaminated clothing and wash it before reused.
Response:	P305+P351+	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	P338	lenses, if present and easy to do. Continue rinsing.
	P337+ P313	If eye irritation persists: Get medical advice/attention.
	P304+ P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P312	Call a POISON CENTER.
Storage:	Not applicable	Not applicable
Disposal:	P501	Disposal of content/containers to be in accordance with local/regional/national regulations.

<b>SECTION 3</b>	COMPOSITION INFORMATION ON INGREDIENTS		
Formula:	(NH <sub>4</sub> )H <sub>2</sub> PO <sub>4</sub> +(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> +S		
Composition:	Monobasic Ammonium Phosphate Ammonium Sulfate Sulfur	CAS 7722-76-1 CAS 7783-20-2 CAS 7704-34-9	75-78% 12-15% 4-6%

SECTION 4	FIRST AID MEASURES	
First Aid Procedures:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.
Note to Physician:	If person has been exposed to concentrated decomposition products, treat symptomatically and watch for delayed symptoms of pulmonary edema.	

SECTION 5	FIRE FIGHTING MEASURES	
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment. Small fires: Water spray, foam, dry chemical or CO <sub>2</sub> Large fires: Water spray, fog or foam	
Protection of Firefighters:	Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials.	



SECTION 6	ACCIDENTAL RELEASE MEASURES
Response Techniques:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal.

SECTION 7	HANDLING AND STORAGE	
Handling:	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.	
nanunng.	Avoid systems that would tend to segregate dust or any components of this product. Avoid accumulation of fugitive dust, as high concentrations of sulfur dust may present an explosion hazard. Follow standard safe-work practices, including hot-work procedures when working around this product.	
Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.	

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION	
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.	
	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.
Personal Protective Equipment (PPE):	Respiratory:	A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator.
	Other:	flushing eyes and skin.
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation	



	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Regulated: 5 mg/m <sup>3</sup> TWA (respirable); 15 mg/m <sup>3</sup> TWA (total) Ammonia: 50 ppm (35 mg/m3) TWA Sulfur: No Occupational Limits
Exposure Guidelines:	ACGIH Threshold Limit Value (TLV):	Particulates Not Otherwise Specified: 3 mg/m <sup>3</sup> TWA (respirable); 10 mg/m <sup>3</sup> TWA (inhalable) Ammonia: 25 ppm (18 mg/m <sup>3</sup> ) TWA; 35 ppm (27 mg/m <sup>3</sup> ) STEL Sulfur: No Occupational Limits

## **SECTION 9**

## PHYSICAL AND CHEMICAL PROPERTIES

Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).

Appearance:	Gray, tan, or brown granules	Vapor Pressure (mm Hg):	Not applicable
Odor:	Rotten egg-like or Slight ammonia odor	Vapor Density (air=1):	Not applicable
Odor Threshold:	No data available	Specific Gravity or Relative Density:	Not applicable
Physical state:	Solid	Bulk Density:	Loose 56 - 66 lbs/ft <sup>3</sup> (900 - 1060 kg/m <sup>3</sup> )
pH:	4.2 – 5.5 in a 1 w/v %	Solubility in Water:	80% - 90%
Melting Point/ Freezing Point:	Partial at 235°F (113°C)	Partition coefficient:	No data available
Boiling Point:	Not applicable	Auto-Ignition Temperature:	Not applicable
Flash Point:	Not applicable	Decomposition Temperature:	374°F (190°C)
Evaporation Rate:	No data available	Viscosity:	No data available
Flammability:	Not applicable	Volatility:	Not applicable
Upper/Lower Flammability or explosive limits	Not applicable		

SECTION 10	STABILITY AND REACTIVITY
Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 374°F (190°C).
Conditions to Avoid:	Extreme temperatures, accumulation of dust.
Incompatible Materials:	Avoid contact with alkaline materials
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, nitrogen and/or sulfur (e.g., SO <sub>2</sub> ) may be released, as well as ammonia vapor.
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc and copper
Hazardous Polymerization:	Will not occur

SECTION 11	TOXICOLOGICAL INFORMATION			
Substance:	Monoammonium Phosphate			
Acute Oral Toxicity:	LD <sub>50</sub> (rat, oral) > 2000 mg/kg			



Acute Inhalation Toxicity:	No data available				
Acute Dermal Toxicity:	LD <sub>50</sub> (rat, dermal) > 5000 mg/kg				
Substance:	Ammonium Sulfate				
Acute Oral Toxicity:	LD <sub>50</sub> (rat, oral) > 2000 to 4250 mg/kg LD <sub>50</sub> (mouse, oral) > 640 to 4250 mg/kg				
Acute Inhalation Toxicity:	No data available	No data available			
Acute Dermal Toxicity:	LD <sub>50</sub> (rat, mouse, dermal) > 2000 mg/kg				
Substance:	Sulfur				
Acute Oral Toxicity:	LD <sub>50</sub> (rat, oral) > 5000 mg/kg				
Acute Inhalation Toxicity:	No data available				
Acute Dermal Toxicity:	LD <sub>50</sub> (rat, dermal) > 2000 mg/kg				
Mutagenesis:	No data available	Target Organ	STOT SE Cat 3; may cause respiratory irritation.		
Developmental Toxicity:	No data available	Carcinogenicity	The ingredients of this product are not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA		

SECTION 12	ECOLOGICAL INFORMATION
Ecotoxicology:	Ammonium sulphate (CAS 7783-20-2) Aquatic Algae EC <sub>50</sub> Chlorella vulgaris 2700 mg/l, 18 days Crustacea EC <sub>50</sub> Water flea (Daphnia magna) > 100 mg/l, 96 hours Fish LC <sub>50</sub> Salmo gairdneri 173 mg/l, 96 hours Sulfur (CAS 7704-34-9) Aquatic Fish LC <sub>50</sub> Western mosquitofish (Gambusia affinis) > 10000 mg/l, 96 hours Crustacea LC <sub>50</sub> Water flea (Daphnia magna) 0.098 mg/l, 48 Hours May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC <sub>50</sub> , OECD Guidelines 203 (rainbow trout): > 86 mg/l.

SECTION 13	DISPOSAL CONSIDERATIONS
	Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

SECTION 14	TRANSPORT INFO		
Regulatory Status:	Not regulated		
Identification Number:	HTS 3105.59.0000		



Hazard Class:	Not applicable		
Proper Shipping Name	Not applicable		
Packing Group	Not applicable		
DOT Emergency Response Guide Number:	Not applicable		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable		
MARPOL Annex V:	Non-HME		
IMO/IMDG:	Not applicable		

SECTION 15	REGULATORY INFORMATION					
CERCLA:	Not listed					
RCRA 261.33:	Not listed					
SARA Title III:	Section 302/304: Not listed RQ: No			TPQ: No		
(Exemptions at 40 CFR, Part 370 may apply for	Section 311/312:					
agricultural use, or for quantities of less than	Acute: Yes	Chronic: No	Fire: No	Pressure: No	Reactivity: No	
10,000 pounds on-site.)	Section 313: Not listed					
NTP, IARC, OSHA:	This material has	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.				
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed					
TSCA:	Listed on the TSCA Inventory					
CA Proposition 65: (Health & Safety Code Section 25249.5)	WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov					
WHMIS:	WHMIS 2015 This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.					
REACH Registration:	Substance Names Monoammonium dihydrogen orthophosphate (MAP) #01-2119488166-29-0091 Ammonium Sulphate #01-2119455044-46-0256 Sulfur #01-2119487295-27-0218					



SECTION 16	OTHER INFORMATION				
Disclaimer:	The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.				
Preparation:	The preparation	of this SDS	was in accordanc	e with ANS	Z400.1-2010.
Revision Date:	December 6, 202	22			
Sections Revised:	1, 2, 3				
SDS Number:	MOS 100077				
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 <sup>th</sup> Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET				
	NFPA HAZAR	NFPA HAZARD CLASS HMIS HAZARD CLASS			
	Health:	2	Health:	2	
	Flammability:	0	Flammability:	0	
	Instability:	0	Physical Hazard:	0	
	Special Hazard:	None	PPE:	Section 8	
Other Hazard	WHMIS 2015 (HPR) HAZARD CLASS				
Classifications:	Signal Word		Warning		
	Symbol				
	Classification	Acute Toxicity Oral Category 5 Skin Irritant Category 2 Eye Irritant Category 2B STOT SE Category 3			
	Hazard Statements	H303: May be harmful if swallowed H315: Causes skin irritation H320: Causes eye irritation H335: May cause respiratory irritation			